



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




NOTE:
REF. BELL 412-201-701-101.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PLATE	6061	3/8 X 3-1/8 X 8-5/8	2
			-3	1	STAND	6061	1/14 X 3/1/8 X 8-5/8	3
		B/O	-5	2	HEX HEAD CAP SCREW	STEEL	1/4-28 X 3/4 NAS6604-6	1
		B/O	-7	2	FLAT WASHER	STEEL	Ø1/4 AN960-416	1
		B/O	-9	2	HELICAL INSERT	18-8 S.S.	1/4-28 X 3/8 MCMASTER-CARR #91732A232	1
		B/O	-11	1	LANYARD CABLE	COATED GALV. STEEL	Ø1/16 X 30in. CARR LANE #CL-2-C	1
		B/O	-13	3	FERRULE	ALUMINUM	Ø1/16 X 3/8 MCMASTER-CARR #3896T31	1
		B/O	-15	1	REMOVE BEFORE FLIGHT STREAMER	FIRE RESISTANT MAT.	3 X 24 AIRCRAFT SPRUCE #15200	1



 RED BARN MACHINE	
TITLE TOOL ASSEMBLY	
DWG NO. RBT400264	REV
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 2/18/2013
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




(-1)
PLATE



 RED BARN MACHINE	
TITLE TOOL ASSY	
DWG NO. RBT400264-1	REV
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED  HEAT TREAT RED ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS II USED ON MODEL BELL 412
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 2/14/2013
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



(-3)
STAND

 RED BARN MACHINE	
TITLE TOOL ASSY	
DWG NO. RBT400264-3	REV
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 .XX \pm .01 .X \pm .1 FRACTIONS \pm 1/32 ANGLES \pm 5°	APPROVED  HEAT TREAT RED ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS II USED ON MODEL BELL 412
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 2/14/2013
SHEET 3 OF 3	